



Artifacts® | K-98068-4

Lever bathroom sink faucet handles

Features

- Metal construction
- Quarter-turn washerless ceramic disc valves



Available Colors/Finishes

Color tiles intended for reference only.

- CP Polished Chrome
- SN Vibrant Polished Nickel
- AF Vibrant French Gold
- BN Vibrant Brushed Nickel
- BV Vibrant Brushed Bronze
- BL Matte Black
- 2MB Vibrant Brushed Moderne Brass
- TT Vibrant Titanium
- DR Deep Bronze



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
5-12-2026 22:23 - US-CA

THE BOLD LOOK
OF **KOHLER**

Codes/Standards

ADA, OBC, CSA B651 compliant when installed to the specific requirements of these regulations.

ADA CSA B651 OBC

ASME A112.18.1/CSA B125.1

NSF/ANSI/CAN 372

NSF/ANSI/CAN 61

NSF/ANSI/CAN 61|NSF/ANSI/CAN 372

ADA

ICC/ANSI A117.1

CSA B651

OBC

Technical Information

All product dimensions are nominal.

Handle

Handle Style/ Type: Lever

Valves

Included Valve: Ceramic disc

Material

- Brass valve bodies

Recommended Products/Accessories

K-23723 Faucet cleaner

K-72567 18" towel bar

K-72568 24" towel bar

K-72570 24" double towel bar

K-72571 Towel ring

K-72572 Double robe hook

K-72573 Pivoting toilet paper holder

K-72576 Toilet paper carriage

Required Products/Accessories

- K-72761 Bathroom sink faucet spout with Flume design, 1.2 gpm

or

- K-72759 Bathroom sink faucet spout with Bell design, 1.2 gpm

or

- K-72760 Bathroom sink faucet spout with Column design, 1.2 gpm

Warranty

See website for detailed warranty information.

KOHLER® Faucet Lifetime Limited Warranty




1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.

For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.

5-12-2026 22:23 - US-CA



Installation

- For 8" - 16" (203 - 406 mm) centers

Installation Notes

Install this product according to the installation instructions.

ADA compliant for handles only.

ADA, OBC, CSA B651 compliant when installed to the specific requirements of these regulations.

